

Professional Flying Team GmbH – Material List

| | | | |
|---------------------|---------------|------------------|--------------|
| Glider Name: | Leeloo | Rev.: 1.0 | Date: |
|---------------------|---------------|------------------|--------------|

| Canopy Materials | | |
|-------------------------|------------------------|--------------------------|
| | Position | Fabric material |
| Top | Front center | NCV Skytex 38 |
| | Front mid | NCV Skytex 38 |
| | Front tip | NCV Skytex 38 |
| | Main | NCV Skytex 32 |
| | TE center | NCV Skytex 38 |
| | TE mid | NCV Skytex 38 |
| | TE tip | NCV Skytex 38 |
| | Bottom | Front center |
| Front mid | | NCV Skytex 38 |
| Front tip | | NCV Skytex 38 |
| Main | | NCV Skytex 27 |
| TE center | | NCV Skytex 38 |
| TE mid | | NCV Skytex 38 |
| TE tip | | NCV Skytex 38 |
| | | |
| | Ribs | 70032 E4D (Skytex 32 HF) |
| | V-Ribs | 70032 E4D (Skytex 32 HF) |
| | V-Tapes | 70032 E4D (Skytex 32 HF) |
| | Tension Tapes / Straps | 70032 E4D (Skytex 32 HF) |
| | RAST | NCV Skytex 32 |

| Loops and Reinforcements at bridle | |
|---|--------------------------------------|
| A & B-Bridle | Mylar bridle ply |
| Loops: | Mouka Tisnov 9,5mm (3867F) |
| Shock Tapes on rib/panel connections (#1 to 10) | Mouka Tisnov 9,5mm (3867F) |
| C & D-Bridle | Mylar bridle ply |
| Stabilo - Wing Tip outside | Captain Insignia Halfmoon |
| Nose Reinforcement | Nitinol 1mm plus pastic cover tunnel |

Tabelle1

| Lines & Riser to be used | | | |
|-------------------------------------|---------------------|-------------------------|-----------------------|
| Level | Main | Middle 1 | Middle 2 and 3 |
| A | 7343-420 / 7343-230 | 7343-230/140 | |
| B/B+ | 7343-420 / 7343-230 | 7343-230/140 | |
| C | 7343-420 / 7343-230 | 7343-230/140 | |
| D | 7343-230 | 7343-140 | |
| E | | | |
| Stabilo | 7343-140 | | |
| Brakes | Liros DSL-200 | DSL 70 | HMA 8000U-130 |
| Riser | Webbing | Cousin Polyester/Aramid | |
| | Maillons | Peguet 3,5mm MRDI03 | |
| Handle | Webbing | Cousin/Mouka Nylon 15 | |
| | Wirbel | 3000 Newton, L=33m | |

Tabelle1

| |
|------------|
| 09.02.2021 |
|------------|

| |
|----------|
| |
| Colour |
| Colour 2 |
| Colour 1 |
| Colour 2 |
| Colour 3 |
| Colour 3 |
| Colour 2 |
| Colour 1 |
| Colour 3 |
| Colour 1 |
| Colour 3 |
| Colour 3 |
| Colour 3 |
| Colour 2 |
| Colour 1 |
| |
| white |
| white |
| white |
| white |
| white |

| |
|--------------|
| |
| |
| |
| |
| |
| |
| |
| |
| end insignia |

Tabelle1

| Top |
|---------------|
| HMA 8000U-130 |
| HMA 8000U-130 |
| HMA 8000U-130 |
| HMA 8000U-090 |
| HMA 8000U-090 |
| HMA 8000U-130 |
| HMA 8000U-130 |
| 12mm |
| 3.5 |
| mm |
| m |